






























## Serie Adapters

|                                                                                                                                 |                                                                                                                  |                                                                                                                                |                                                                                                                   |                                                                                                                                 |                                                                                                                              |                                                                                                                                   |                                                                                                                    |                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <br><b>2000</b><br>Pag. 14.6                   | <br><b>2010</b><br>Pag. 14.6    | <b>New</b><br><br><b>2015</b><br>Pag. 14.6    | <br><b>2020</b><br>Pag. 14.6     | <br><b>2030</b><br>Pag. 14.7                   | <b>New</b><br><br><b>2035</b><br>Pag. 14.7 | <br><b>2040</b><br>Pag. 14.7                   | <br><b>2050</b><br>Pag. 14.7    | <b>New</b><br><br><b>2055</b><br>Pag. 14.8 |
| <br><b>2060</b><br>Pag. 14.8                   | <br><b>2070</b><br>Pag. 14.8    | <br><b>2080</b><br>Pag. 14.8                  | <br><b>2090</b><br>Pag. 14.9     | <br><b>2092</b><br>Pag. 14.9                   | <br><b>2095</b><br>Pag. 14.9               | <br><b>2096</b><br>Pag. 14.9                   | <br><b>2110</b><br>Pag. 14.10   | <br><b>2115</b><br>Pag. 14.10              |
| <br><b>2116</b><br>Pag. 14.10                  | <br><b>3000</b><br>Pag. 14.10   | <br><b>3010</b><br>Pag. 14.11                 | <br><b>3015</b><br>Pag. 14.11    | <br><b>3015V</b><br>Pag. 14.11                 | <br><b>3020</b><br>Pag. 14.11              | <br><b>3021</b><br>Pag. 14.12                  | <br><b>3025</b><br>Pag. 14.12   | <br><b>3026</b><br>Pag. 14.12              |
| <br><b>3030</b><br>Pag. 14.12                  | <br><b>3040</b><br>Pag. 14.13   | <br><b>3044</b><br>Pag. 14.14                 | <br><b>3045</b><br>Pag. 14.14    | <br><b>3047</b><br>Pag. 14.15                  | <br><b>3050</b><br>Pag. 14.15              | <br><b>3055</b><br>Pag. 14.15                  | <br><b>3060</b><br>Pag. 14.15   | <br><b>1704</b><br>Pag. 14.16              |
| <br><b>4000</b><br>Pag. 14.16                 | <br><b>4010</b><br>Pag. 14.16  | <br><b>4020</b><br>Pag. 14.16                | <br><b>4030</b><br>Pag. 14.17   | <br><b>4040</b><br>Pag. 14.17                 | <br><b>4050</b><br>Pag. 14.17             | <br><b>5000</b><br>Pag. 14.17                 | <br><b>5010</b><br>Pag. 14.18  | <br><b>5020</b><br>Pag. 14.18             |
| <br><b>5050</b><br>Pag. 14.18                | <br><b>6000</b><br>Pag. 14.18 | <br><b>6010</b><br>Pag. 14.19               | <br><b>6020</b><br>Pag. 14.19  | <br><b>6025</b><br>Pag. 14.19                | <br><b>6030</b><br>Pag. 14.19            | <br><b>6040</b><br>Pag. 14.20                | <br><b>6047</b><br>Pag. 14.20 | <br><b>6048</b><br>Pag. 14.20            |
| <br><b>6070</b><br>Pag. 14.20                | <br><b>6080</b><br>Pag. 14.21 | <br><b>6090</b><br>Pag. 19                  | <br><b>82205</b><br>Pag. 14.21 | <b>New</b><br><br><b>82241</b><br>Pag. 14.22 | <br><b>82242</b><br>Pag. 14.22           | <b>New</b><br><br><b>82320</b><br>Pag. 14.22 | <br><b>7000</b><br>Pag. 14.27 | <br><b>7005</b><br>Pag. 14.27            |
| <br><b>7010</b><br>Pag. 14.27                | <br><b>7020</b><br>Pag. 14.27 | <br><b>7030</b><br>Pag. 14.28               | <br><b>7040</b><br>Pag. 14.28  | <br><b>7050</b><br>Pag. 14.28                | <br><b>7060</b><br>Pag. 14.28            | <br><b>7070</b><br>Pag. 14.29                | <br><b>7080</b><br>Pag. 14.29 | <br><b>AS710</b><br>Pag. 14.30           |
| <b>New</b><br><br><b>AS715</b><br>Pag. 14.30 | <br><b>7100</b><br>Pag. 14.30 | <b>New</b><br><br><b>7105</b><br>Pag. 14.31 | <br><b>7110</b><br>Pag. 14.31  | <b>New</b><br><br><b>7115</b><br>Pag. 14.31  | <br><b>7120</b><br>Pag. 14.31            | <br><b>7130</b><br>Pag. 14.31                | <br><b>7140</b><br>Pag. 14.32 | <br><b>7150</b><br>Pag. 14.32            |

## Serie Food&Drinks - Fittings CW510L



## Serie 1800 - Fittings with bayonet connection




## Serie 15000 - Hose adapters for plastic tubes



## 2000

### NIPPLO CONICO

NIPPLE (TAPER)  
DOPPELNIPPEL KONISCH  
MAMELON DOUBLE CONIQUE  
MACHÓN CÓNICO  
NIPLE COM ROSCA CÔNICA




| Code                  | A    | B    | L  | CH | Pack. |
|-----------------------|------|------|----|----|-------|
| 02000 00 01 02 NB 1/8 | 7.5  | 19.5 | 12 | 10 |       |
| 02000 00 01 03 NB 1/4 | 11   | 27   | 14 | 10 |       |
| 02000 00 01 04 NB 3/8 | 11.5 | 28   | 17 | 10 |       |
| 02000 00 01 05 NB 1/2 | 14   | 33.5 | 22 | 10 |       |
| 02000 00 01 07 NB 3/4 | 16.5 | 40   | 27 | 10 |       |
| 02000 00 01 09 NT 1"  | 19   | 46.5 | 34 | 10 |       |

## 2010

### NIPPLO CILINDRICO

NIPPLE (PARALLEL)  
DOPPELNIPPEL ZYLINDRISCH  
MAMELON DOUBLE, CYLINDRIQUE  
MACHÓN CILÍNDRICO  
NIPLE COM ROSCA PARALELA




| Code                  | A | B   | L    | CH | Pack. |
|-----------------------|---|-----|------|----|-------|
| 02010 00 01 PG NB M3  |   | 2.8 | 10   | 5  | 10    |
| 02010 00 01 B5 NB M5  |   | 4   | 11.5 | 8  | 10    |
| 02010 00 01 02 NB 1/8 |   | 6   | 16.5 | 14 | 10    |
| 02010 00 01 03 NB 1/4 |   | 8   | 21   | 17 | 10    |
| 02010 00 01 04 NB 3/8 |   | 9   | 23   | 19 | 10    |
| 02010 00 01 05 NB 1/2 |   | 10  | 25.5 | 24 | 10    |
| 02010 00 01 07 NB 3/4 |   | 12  | 29.5 | 30 | 10    |
| 02010 00 01 09 NB 1"  |   | 12  | 32   | 40 | 10    |

## 2015

**New**

### NIPPLO CILINDRICO CON O-RING NBR

NIPPLE (PARALLEL) WITH NBR O-RING  
DOPPELNIPPEL ZYLINDRISCH MIT NBR O-RING  
MAMELON DOUBLE, CYLINDRIQUE AVEC JOINT TORIQUE NBR  
MACHÓN CILÍNDRICO CON TORICA NBR  
NIPLE COM ROSCA PARALELA E O-RING NBR



| Code         | A   | B   | L    | CH | Pack. |
|--------------|-----|-----|------|----|-------|
| 02015 00 001 | M5  | 3.5 | 11.5 | 8  | 10    |
| 02015 00 002 | 1/8 | 5.5 | 16.5 | 14 | 10    |
| 02015 00 003 | 1/4 | 7   | 21   | 17 | 10    |
| 02015 00 004 | 3/8 | 8   | 23   | 20 | 10    |
| 02015 00 005 | 1/2 | 9.5 | 26.5 | 25 | 10    |
| 02015 00 006 | 3/4 | 11  | 30.5 | 34 | 10    |
| 02015 00 007 | 1"  | 12  | 32.5 | 40 | 10    |



**Temperature**

min max  
- 20 °C + 80 °C

## 2020

### NIPPLO DI RIDUZIONE CONICO

REDUCING NIPPLE (TAPER)  
DOPPELNIPPEL REDUZIERT KONISCH  
MAMELON DOUBLE INÉGAL, CONIQUE  
MACHÓN CÓNICO DE REDUCCIÓN  
NIPLE DE REDUÇÃO COM ROSCA CÔNICA



| Code              | A   | A1  | B    | C    | L    | CH | Pack. |
|-------------------|-----|-----|------|------|------|----|-------|
| 02020 00 01 AT NB | 1/8 | 1/4 | 7.5  | 11   | 23.5 | 14 | 10    |
| 02020 00 01 3W NB | 1/8 | 3/8 | 7.5  | 11.5 | 24   | 17 | 10    |
| 02020 00 01 4W NB | 1/8 | 1/2 | 7.5  | 14   | 27   | 22 | 10    |
| 02020 00 01 7W NB | 1/4 | 3/8 | 11   | 11.5 | 27.5 | 17 | 10    |
| 02020 00 01 8W NB | 1/4 | 1/2 | 11   | 14   | 30.5 | 22 | 10    |
| 02020 00 01 ED NB | 1/4 | 3/4 | 11   | 16.5 | 34.5 | 27 | 10    |
| 02020 00 01 AC NB | 3/8 | 1/2 | 11.5 | 14   | 31   | 22 | 10    |
| 02020 00 01 AL NB | 3/8 | 3/4 | 11.5 | 16.5 | 35   | 27 | 10    |
| 02020 00 01 AH NB | 1/2 | 3/4 | 14   | 16.5 | 37.5 | 27 | 10    |
| 02020 00 01 AP NT | 1/2 | 1"  | 14   | 19   | 41.5 | 34 | 10    |
| 02020 00 01 AS NT | 3/4 | 1"  | 16.5 | 19   | 44   | 34 | 10    |

## 2030

### NIPLO DI RIDUZIONE CILINDRICO


REDUCING NIPPLE (PARALLEL)

DOPPELNIPPEL REDUZIERT ZYLINDRISCH

MAMELON DOUBLE INÉGAL, CYLINDRIQUE

MACHÓN CILÍNDRICO DE REDUCCIÓN

NIPLE DE REDUÇÃO COM ROSCA PARALELA



| Code              | A   | A1  | B  | C  | L    | CH | Pack. |
|-------------------|-----|-----|----|----|------|----|-------|
| 02030 00 01 0W NB | M5  | 1/8 | 4  | 6  | 14.5 | 14 | 10    |
| 02030 00 01 AT NB | 1/8 | 1/4 | 6  | 8  | 19   | 17 | 10    |
| 02030 00 01 3W NB | 1/8 | 3/8 | 6  | 9  | 20   | 19 | 10    |
| 02030 00 01 7W NB | 1/4 | 3/8 | 8  | 9  | 22   | 19 | 10    |
| 02030 00 01 8W NB | 1/4 | 1/2 | 8  | 10 | 23.5 | 24 | 10    |
| 02030 00 01 AC NB | 3/8 | 1/2 | 9  | 10 | 24.5 | 24 | 10    |
| 02030 00 01 AH NT | 1/2 | 3/4 | 10 | 12 | 27.5 | 30 | 10    |

## 2035

### NIPLO DI RIDUZIONE CILINDRICO CON O-RING NBR

REDUCING NIPPLE (PARALLEL) WITH NBR O-RING


DOPPELNIPPEL REDUZIERT ZYLINDRISCH MIT NBR O-RING

MAMELON DOUBLE INÉGAL, CYLINDRIQUE AVEC JOINT TORIQUE NBR

MACHÓN CILÍNDRICO DE REDUCCIÓN CON TORICA NBR

NIPLE DE REDUÇÃO COM ROSCA PARALELA E O-RING NBR

**New**



| Code         | A   | A1  | B   | C   | L    | CH | Pack. |
|--------------|-----|-----|-----|-----|------|----|-------|
| 02035 00 001 | M5  | 1/8 | 3.5 | 5.5 | 14.5 | 14 | 10    |
| 02035 00 002 | 1/8 | 1/4 | 5.5 | 7   | 19   | 17 | 10    |
| 02035 00 003 | 1/8 | 3/8 | 5.5 | 8   | 20   | 20 | 10    |
| 02035 00 004 | 1/4 | 3/8 | 7   | 8   | 22   | 20 | 10    |
| 02035 00 005 | 1/4 | 1/2 | 7   | 9.5 | 23.5 | 25 | 10    |
| 02035 00 006 | 3/8 | 1/2 | 8   | 9.5 | 24.5 | 25 | 10    |
| 02035 00 007 | 1/2 | 3/4 | 9.5 | 11  | 28   | 34 | 10    |



Temperature

min

- 20 °C

max

+ 80 °C

## 2040

### RIDUZIONE CONICA


REDUCER (TAPER)

VERGRÖßERUNG KONISCH

GROSSISSEUR, CONIQUE

UNIÓN CÓNICA MACHO - HEMBRA

REDUÇÃO COM ROSCA CÔNICA



| Code              | A   | A1  | B    | L    | CH | Pack. |
|-------------------|-----|-----|------|------|----|-------|
| 02040 00 01 2W NB | 1/8 | 1/8 | 7.5  | 20   | 14 | 10    |
| 02040 00 01 AT NB | 1/8 | 1/4 | 7.5  | 22   | 17 | 10    |
| 02040 00 01 3W NB | 1/8 | 3/8 | 7.5  | 23   | 22 | 10    |
| 02040 00 01 6W NB | 1/4 | 1/4 | 11   | 26   | 17 | 10    |
| 02040 00 01 7W NB | 1/4 | 3/8 | 11   | 27   | 22 | 10    |
| 02040 00 01 8W NB | 1/4 | 1/2 | 11   | 30   | 26 | 10    |
| 02040 00 01 AB NB | 3/8 | 3/8 | 11.5 | 27.5 | 22 | 10    |
| 02040 00 01 AC NB | 3/8 | 1/2 | 11.5 | 30.5 | 26 | 10    |
| 02040 00 01 AL NB | 3/8 | 3/4 | 11.5 | 32.5 | 32 | 10    |
| 02040 00 01 AG NB | 1/2 | 1/2 | 14   | 33   | 26 | 10    |
| 02040 00 01 AH NB | 1/2 | 3/4 | 14   | 35   | 32 | 10    |
| 02040 00 01 AS NB | 3/4 | 1"  | 16.5 | 41   | 41 | 10    |

## 2050

### RIDUZIONE CILINDRICA


REDUCER (PARALLEL)

VERGRÖßERUNG ZYLINDRISCH

GROSSISSEUR, CYLINDRIQUE

UNIÓN CILÍNDRICA MACHO - HEMBRA

REDUÇÃO COM ROSCA PARALELA



| Code              | A   | A1  | B  | L    | CH | Pack. |
|-------------------|-----|-----|----|------|----|-------|
| 02050 00 01 0W NB | M5  | 1/8 | 4  | 14.5 | 14 | 10    |
| 02050 00 01 2W NB | 1/8 | 1/8 | 6  | 17   | 14 | 10    |
| 02050 00 01 AT NB | 1/8 | 1/4 | 6  | 20.5 | 17 | 10    |
| 02050 00 01 3W NB | 1/8 | 3/8 | 6  | 21.5 | 22 | 10    |
| 02050 00 01 6W NB | 1/4 | 1/4 | 8  | 22.5 | 17 | 10    |
| 02050 00 01 7W NB | 1/4 | 3/8 | 8  | 23.5 | 22 | 10    |
| 02050 00 01 8W NB | 1/4 | 1/2 | 8  | 26.5 | 26 | 10    |
| 02050 00 01 AB NB | 3/8 | 3/8 | 9  | 24.5 | 22 | 10    |
| 02050 00 01 AC NB | 3/8 | 1/2 | 9  | 27.5 | 26 | 10    |
| 02050 00 01 AL NB | 3/8 | 3/4 | 9  | 30   | 32 | 10    |
| 02050 00 01 AG NB | 1/2 | 1/2 | 10 | 28.5 | 26 | 10    |
| 02050 00 01 AH NB | 1/2 | 3/4 | 10 | 31   | 32 | 10    |

## 2055

**New**

### RIDUZIONE CILINDRICA CON O-RING NBR


REDUCER (PARALLEL) WITH NBR O-RING

VERGRÖßERUNG ZYLINDRISCH MIT NBR O-RING

GROSSISSEUR, CYLINDRIQUE AVEC JOINT TORIQUE NBR

UNIÓN CILÍNDRICA MACHO - HEMBRA CON TORICA NBR

REDUÇÃO COM ROSCA PARALELA E O-RING NBR



| Code         | A   | A1  | B   | L    | CH | Pack. |
|--------------|-----|-----|-----|------|----|-------|
| 02055 00 001 | M5  | 1/8 | 3.5 | 14.5 | 14 | 10    |
| 02055 00 002 | 1/8 | 1/8 | 5.5 | 17   | 14 | 10    |
| 02055 00 003 | 1/8 | 1/4 | 5.5 | 20.5 | 17 | 10    |
| 02055 00 004 | 1/8 | 3/8 | 5.5 | 21.5 | 22 | 10    |
| 02055 00 005 | 1/4 | 1/4 | 7   | 22.5 | 17 | 10    |
| 02055 00 006 | 1/4 | 3/8 | 7   | 23.5 | 22 | 10    |
| 02055 00 007 | 1/4 | 1/2 | 7   | 26.5 | 26 | 10    |
| 02055 00 008 | 3/8 | 3/8 | 8   | 24.5 | 22 | 10    |
| 02055 00 009 | 3/8 | 1/2 | 8   | 27.5 | 26 | 10    |
| 02055 00 010 | 3/8 | 3/4 | 8   | 30   | 32 | 10    |
| 02055 00 011 | 1/2 | 1/2 | 9.5 | 29.5 | 26 | 10    |
| 02055 00 012 | 1/2 | 3/4 | 9.5 | 31   | 32 | 10    |


**Temperature**

min max  
- 20 °C + 80 °C

## 2060

### NIPPLO CONICO ORIENTABILE (3 PEZZI)


TAPER NIPPLE (3 PIECES)

DOPPELNIPPEL KONISCH EINSTELLBAR (3 STÜCK)

MAMELON DOUBLE 3 PIÈCES

MACHÓN CÓNICO ORIENTABLE (3 PIEZAS)

NIPLE ORIENTÁVEL COM ROSCA CÔNICA (3 PARTES)



| Code         | A   | B    | C   | D    | L    | CH1 | CH2 | ★  | Pack. |
|--------------|-----|------|-----|------|------|-----|-----|----|-------|
| 02060 00 001 | 1/8 | 9    | 8.5 | 7.5  | 27   | 15  | 5   | 15 | 10    |
| 02060 00 002 | 1/4 | 11.5 | 9.5 | 11   | 33.5 | 19  | 6   | 15 | 10    |
| 02060 00 003 | 3/8 | 13   | 10  | 11.5 | 36.5 | 22  | 8   | 20 | 10    |
| 02060 00 004 | 1/2 | 16   | 12  | 14   | 45   | 27  | 12  | 20 | 10    |
| 02060 00 005 | 3/4 | 18   | 17  | 16.5 | 54   | 36  | 14  | 40 | 5     |
| 02060 00 006 | 1"  | 21.5 | 20  | 19   | 65   | 46  | 19  | 40 | 1     |

Articolo non nichelato.

Article not nichel-plated.

Artikel nicht vernickelt.

Article non nickelé.

Artículo no niquelado.

Item não niquelado.

★ Coppia di serraggio (Nm).

Torque specifications (Nm).

Angaben Drehmoment (Nm).

Couple de serrage (Nm).

Par de apriete (Nm).

Torque de aperto (Nm).


**Temperature**

min max  
- 20 °C + 80 °C


**Pressure**

- 0.99 bar + 50 bar  
(-0.099 MPa) (5 MPa)

## 2070

### PROLUNGA CILINDRICA


EXTENSION (PARALLEL)

VERLÄNGERUNG ZYLINDRISCH

RALLONGE ÉGALE, CYLINDRIQUE

PROLONGACIÓN CILÍNDRICA

PROLONGAMENTO COM ROSCA PARALELA



| Code              | A   | A1  | L    | B  | CH | Pack. |
|-------------------|-----|-----|------|----|----|-------|
| 02070 00 01 YN NB | M5  | M5  | 18.5 | 4  | 7  | 10    |
| 02070 00 01 BH NB | 1/8 | 1/8 | 22   | 6  | 14 | 10    |
| 02070 00 01 UP NB | 1/8 | 1/8 | 32   | 6  | 14 | 10    |
| 02070 00 01 BI NB | 1/8 | 1/8 | 42   | 6  | 14 | 10    |
| 02070 00 01 UQ NB | 1/8 | 1/8 | 51   | 6  | 14 | 10    |
| 02070 00 01 UR NB | 1/4 | 1/4 | 28   | 8  | 17 | 10    |
| 02070 00 01 BL NB | 1/4 | 1/4 | 35   | 8  | 17 | 10    |
| 02070 00 01 BM NB | 1/4 | 1/4 | 51   | 8  | 17 | 10    |
| 02070 00 01 UT NB | 3/8 | 3/8 | 32   | 9  | 22 | 10    |
| 02070 00 01 US NB | 1/2 | 1/2 | 35   | 10 | 26 | 10    |

## 2080

### RIDUZIONE CONICA


REDUCER (TAPER)

REDUZIERUNG KONISCH

RÉDUCTION, CONIQUE

REDUCCIÓN CÓNICA

REDUÇÃO COM ROSCA CÔNICA



| Code              | A     | A1  | B    | L    | CH | Pack. |
|-------------------|-------|-----|------|------|----|-------|
| 02080 00 01 5W NB | 1/4   | 1/8 | 11   | 16   | 14 | 10    |
| 02080 00 01 9W NB | 3/8   | 1/8 | 11.5 | 16.5 | 17 | 10    |
| 02080 00 01 AD NB | 1/2   | 1/8 | 14   | 19.5 | 22 | 10    |
| 02080 00 01 AA NB | 3/8   | 1/4 | 11.5 | 16.5 | 17 | 10    |
| 02080 00 01 AE NB | 1/2   | 1/4 | 14   | 19.5 | 22 | 10    |
| 02080 00 01 AF NB | 1/2   | 3/8 | 14   | 19.5 | 22 | 10    |
| 02080 00 01 AL NB | 3/4   | 3/8 | 16.5 | 23.5 | 27 | 10    |
| 02080 00 01 AM NB | 3/4   | 1/2 | 16.5 | 23.5 | 27 | 10    |
| 02080 00 01 AP NT | 1"    | 1/2 | 19   | 27.5 | 34 | 10    |
| 02080 00 01 AQ NT | 1"    | 3/4 | 19   | 27.5 | 34 | 10    |
| 02080 00 01 AR NT | 1"1/4 | 1/2 | 22   | 31   | 45 | 10    |
| 02080 00 01 AU NT | 1"1/4 | 3/4 | 22   | 31   | 45 | 10    |
| 02080 00 01 AV NT | 1"1/4 | 1"  | 22   | 31   | 45 | 10    |
| 02080 00 01 82 NT | 1"1/2 | 1"  | 22   | 32   | 50 | 5     |
| 02080 00 01 83 NT | 2"    | 1"  | 24   | 36   | 60 | 5     |