

<section-header>

CANALKLER 250 S Low Sliding Resistance www.trelleborg.com

Ma

TRELLEBORG FLUID HANDLING SOLUTIONS












Solution Solution States State

The new CANAUKUER 2508 (belicker

The new CANALKLER 250 S takes 55 % less force to be pulled compared to the CANALKLER 250.

The sliding resistance of a 100 m long CANALKLER 250 S is only 49 Kg compared to the 107 Kg of our previous sewer cleaning hose.



Thanks to the construction of the CANALKLER 250 S, you will keep this feature during the whole lifespan of the hose.

You will save time: the nozzle goes more quickly into the sewer. When you handle the hose over a long distance, you will improve comfort as the pulling force is reduced.

As a result of the significant lower sliding resistance there is a

- higher cleaning efficiency
- reduction of cleaning time
- reduction of fuel consumption.



100 % hoses are tested at 375 bar and are delivered with a pressure test certificate.

9			pertifikat	No.	3062
	2567	1000	111 **		12
laine (No.1	100	152	- 94144
	-	=			
terre.		=			
-	-				
-	an a	14.54			
-			1.		i.
	-			-	
	-				


Longer lifespan

Thenew CANAUXUER 2508 has a much longer Iffespan

We have performed tests according to EN ISO6945:2000, the abrasion resistance of the CANALKLER 250 S is 6,5 times higher than CANALKLER 250 !

The internationally recognized test for abrasion ISO 6945 measures the weight loss of a hose sample that has been subjected to a longitudinally oscillating abrasion tool along its outer surface.

After 2000 cycles, the weight loss of CANALKLER 250 S is 6,5 times less than the current CANALKLER 250.



The higher the abrasion resistance, the longer the lifespan.

CANALKLER 250 S will allow you to save money, you will be able to use the hose longer.











Quick reparation

Thanks to our reusable repair coupling, you can repair the hose on site. This specific coupling will make you save time.



Ask for our mounting instruction!



BU Fluid Handling Solutions

Trelleborg Industrie SAS - ZI La Combaude - Rue de Chantemerle - 63050 Clermont-Ferrand cedex 02 - France Tel +33 (0)4 73 25 81 00 - Fax +33 (0)4 73 25 82 17 / +33 (0)4 73 25 82 27 - tes.serviceclients@trelleborg.com - www.trelleborg.com/industrialhose

SAS au capital de 9 909 450 € - RCS Clermont-Ferrand B 391 933 397 - SIRET 391 933 397 00013 - APE 2219Z - TVA FR 56 391 933 397